

# Table of contents

<b>Chapter 1: Introductory Outline</b> .....	<b>1-1</b>
1-1 Hardware .....	1-1
CPU .....	1-1
peripheral bord .....	1-1
1-2 Information Exchange .....	1-1
USB memory .....	1-1
CUnet .....	1-2
1-3 Programs .....	1-2
Advantages of BL/1.....	1-2
Advantages of MPC-2000.....	1-3
<b>Chapter2: Series Configuration</b> .....	<b>2-1</b>
2-1 CPU Boards .....	2-1
MPC-1000 .....	2-1
MPC-N816 .....	2-1
MPC-2000 .....	2-1
MPC-2100L .....	2-1
MPC-2200 .....	2-1
2-2 PG Boards .....	2-2
MPG-2314 .....	2-2
MPG-2541 .....	2-2
2-3 Communication Boards .....	2-2
MRS-MCOM .....	2-2
2-4 I/O Boards .....	2-2
MIO-1616 .....	2-2
MIO-N816 .....	2-2
MIO-3232 .....	2-3
MIP-0064 .....	2-3
MOP-0064 .....	2-3
2-5 AD/DA Boards .....	2-3
MPC-AD12 .....	2-3
2-6 Network Boards .....	2-3
MPC-CUnet2 .....	2-3
USB-CUnet .....	2-3
2-7 Rack .....	2-4
2-8 Other .....	2-4
<b>Chapter 3: Programming</b> .....	<b>3-1</b>
3-1 Programming Method and Tools.....	3-1
Hardware .....	3-1
Software .....	3-1
3-2 Connection between MPC and PC .....	3-2
3-3 Starting FTMW.....	3-3
3-4 Command Input.....	3-4
3-5 Program Editing in FTMW .....	3-5
LIST display .....	3-5
Inserting a line.....	3-6
Deleting a line.....	3-6
Other key operations.....	3-6

3-6 Saving and Loading a Program .....	3-7
Saving .....	3-7
Loading .....	3-7
Offline creation .....	3-7
Printing .....	3-8
3-7 Offline Program Creation/Editing .....	3-8
3-8 Initialization .....	3-9
3-9 I/O Check .....	3-9
Checking by commands .....	3-9
Checking by I/O Checker .....	3-10
3-10 Language Specification .....	3-10
Integer BASIC .....	3-10
Multi-statements .....	3-10
Comments .....	3-11
Multitasking .....	3-11
Debugging .....	3-13
Global variables and task-local variables .....	3-17
Reserved constants and reserved variables.....	3-17
Data area .....	3-20
Character string variables .....	3-21
Arithmetic formula.....	3-21
Conditional expressions .....	3-22
Control statements .....	3-23
ON_ERROR .....	3-25
Usage of SELECT_CASE VOID .....	3-26
<b>Chapter 4: Basics of Control Programs .....</b>	<b>4-1</b>
4-1 I/O Control .....	4-1
ON/OFF .....	4-1
Sensor/input logic detection .....	4-1
Condition/logical operations .....	4-1
Time out processing .....	4-2
Character string processing .....	4-2
4-2 Touch Panel Connection .....	4-5
MEWNET protocol .....	4-5
Memory allocation .....	4-5
Touch panel connection examples .....	4-6
4-3 Time Management .....	4-8
Setting .....	4-8
Time detection .....	4-8
Date and time character strings .....	4-8
4-4 Axis Control .....	4-8
PG assignment .....	4-9
Acceleration and speed .....	4-9
Pulse generation commands .....	4-9
Setting and errors .....	4-9
Initial setting .....	4-10
Operation check in the teaching mode .....	4-10
Setting the maximum speed and acceleration/deceleration.....	4-10
MPG-2314 input check .....	4-11
Origin return .....	4-11
Absolute coordinate movement .....	4-12
Relative coordinate movement .....	4-13

Palletization .....	4-14
Stopping .....	4-15
Encoder and counter input .....	4-15
Concerning MPC-1000 pulse generation function .....	4-16
4-5 Data Communication .....	4-19
RS-232/RS-485 .....	4-19
RS-232C device connection example .....	4-19
RS-485 device connection example .....	4-21
USB memory .....	4-23
CUnet .....	4-27
4-6 Analog Control .....	4-32
AD conversion .....	4-32
DA conversion.....	4-32
Various kinds of settings .....	4-32
<b>Chapter 5: Floating-Point Operations .....</b>	<b>5-1</b>
5-1 Floating-Point Arithmetic Macro Commands .....	5-1
5-2 Floating-Point Arithmetic Operations .....	5-1
Double-precision array variable (FP(n)) .....	5-1
FLOAT command .....	5-2
Floating-point compatible functions .....	5-2
Speed of floating-point arithmetic operations .....	5-3
<b>Chapter 6: Firmware Updating .....</b>	<b>6-1</b>
6-1 Updating Data .....	6-1
6-2 Updating Procedure .....	6-1
<b>Chapter 7 Program Examples .....</b>	<b>7-1</b>
7-1 Robot Applications .....	7-1
7-2 Temperature Measurement and Data Logger .....	7-2
7-3 MPG-2314 Servo Driver Connection Examples .....	7-5
Origin input .....	7-5
Connection example (Yasukawa Electric Corp. SGDA-A3BP) .....	7-6
Connection example (Panasonic Corp. in the MINAS A4 positioning control mode) .....	7-7
Program example .....	7-5
<b>Chapter 8: Command Reference .....</b>	<b>8-1</b>
8-1 BL/1 Grammar .....	8-1
Program configuration .....	8-1
Variables and constants .....	8-1
Formulas and conditional formulas .....	8-2
Character string operations .....	8-3
Vector arguments .....	8-3
8-2 Command Reference .....	8-5
<b>Chapter 9: Hardware References .....</b>	<b>9-1</b>
9-1 MPC-1000 (Main CPU Board) .....	9-1
9-2 MPC-N816 (Main CPU Board) .....	9-4
9-3 MPC-2000 (Main CPU Board) .....	9-6
9-4 MPC-2100L (Main CPU Board) .....	9-7
9-5 MPC-2200 (Main CPU Board) .....	9-8
9-6 MPG-2314 (4-Axis PG Board) .....	9-9
9-7 MPG-2541(4-Axis PG Board) .....	9-13

9-8 MRS-MCOM (Multi-Communication Board) .....	9-16
9-9 MIO-1616(I/O Board) .....	9-20
9-10 MIO-N816(I/O Board) .....	9-22
9-11 MIO-3232(I/O Board) .....	9-23
9-12 MIP-0064(64-Point Input Board) .....	9-24
9-13 MOP-0064(64-Point Output Board) .....	9-25
9-14 MPC-AD12(AD/DA Board) .....	9-26
9-15 MPC-CUnet (High-Speed Network Board) .....	9-30
9-16 USB-CUnet (USB Interface) .....	9-32
9-17 Drawings of Rack, Case, and the Like .....	9-36

## Appendix

ASCII Code Table

BL/I Error Code Table (Currently April 10, 2012)

Command Index